

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|--|----------------------|----------------------|-------------------------|------------------|--|
| 10/694,864 | 10/29/2003 | Akiyoshi Fujita | 00684.003538 | 5695 | |
| 5514 7. | 5514 7590 02/17/2005 | | | EXAMINER | |
| FITZPATRICK CELLA HARPER & SCINTO 30 ROCKEFELLER PLAZA | | | BRASE, SANDRA L | | |
| NEW YORK, NY 10112 | | | ART UNIT | PAPER NUMBER | |
| | | | 2852 | | |
| | | | DATE MAILED: 02/17/2005 | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | | | | |
|---|---|--|--|--|--|--|
| | 10/694,864 | FUJITA ET AL. | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | Sandra L. Brase | 2852 | | | | |
| The MAILING DATE of this communication app Period for Reply | ears on the cover sheet with the c | orrespondence address | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | el6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI | nely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133). | | | | |
| Status | | | | | | |
| 1) Responsive to communication(s) filed on | | | | | | |
| 2a) This action is FINAL . 2b) This | This action is FINAL . 2b) This action is non-final. | | | | | |
| 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | | |
| closed in accordance with the practice under E | x parte Quayle, 1935 C.D. 11, 45 | 3 O.G. 213. | | | | |
| Disposition of Claims | | | | | | |
| 4)⊠ Claim(s) <u>1-12</u> is/are pending in the application. | | | | | | |
| 4a) Of the above claim(s) is/are withdrawn from consideration. | | | | | | |
| 5) Claim(s) is/are allowed. | | | | | | |
| 6) Claim(s) is/are rejected. | | | | | | |
| 7) Claim(s) is/are objected to. | | | | | | |
| 8) Claim(s) are subject to restriction and/or | election requirement. | | | | | |
| Application Papers | | | | | | |
| 9)⊠ The specification is objected to by the Examiner | | | | | | |
| 10) ☐ The drawing(s) filed on 29 October 2003 is/are: | | to by the Examiner. | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | |
| Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). | | | | | | |
| 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. | | | | | | |
| Priority under 35 U.S.C. § 119 | | • | | | | |
| <u> </u> | | (1) | | | | |
| 12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). | | | | | | |
| a) ⊠ All b) □ Some * c) □ None of: | | | | | | |
| 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No | | | | | | |
| 3. Copies of the certified copies of the priority documents have been received in Application 146. | | | | | | |
| application from the International Bureau (PCT Rule 17.2(a)). | | | | | | |
| * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| | · | | | | | |
| A 11 A 11 A 1 | | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) | | | | | | |
| Paper No(s)/Mail Date | | | | | | |
| i) ☑ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1/23/04 & 3/11/04. 5) ☐ Notice of Informal Patent Application (PTO-152) 6) ☐ Other: | | | | | | |
| - apei ivo(s)/iviaii Date <u>1/23/04 & 3/11/04</u> . | o) [| | | | | |

Application/Control Number: 10/694,864 Page 2

Art Unit: 2852

Quayle Action

1. This application is in condition for allowance except for the following formal matters.

Prosecution on the merits is closed in accordance with the practice under *Ex parte*Ouayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Drawings

- 2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: 10cB, 12d and 22c. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: 8k5, 28, 12a1, 12r15, 12r16 and 12k3. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance

with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

4. The disclosure is objected to because of the following informalities.

On page 25, line 14, "4c" should be "10c".

On page 30, line 3, "10cB" should be changed to "10eB".

On page 34, line 16, "(figure 18)" should be changed to "(figure 8)".

On page 40, line 21, "12i" should be deleted.

Appropriate correction is required.

Claim Objections

5. Claims 5, 6 and 8-12 are objected to because of the following informalities. Appropriate correction is required.

On line 2 of claim 5, on line 2 of claim 6, and on line 8 of claim 8, "capping member" should be changed to "cap covering member" (see spec. pg 55, line 17 – pg 56, line 22).

On line 3 of claim 10, "cutter" should be changed to "cutter,".

Allowable Subject Matter

6. Claims 1-12 are allowed.

Prior Art

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Kavolius et al. (US 5,729,795), Saber et al. (US 6,173,128), Morinaga et al. (US 6,219,506) and Ban et al. (US 6,278,853) disclose remanufacturing a cartridge.

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sandra L. Brase whose telephone number is 571-272-2131. The examiner can normally be reached on Monday-Thursday and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur T. Grimley, can be reached on 571-272-2136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 2852

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sandra L. Brase

Primary Examiner Art Unit 2852

February 14, 2005